


TECHNICAL LED
LUMINAIRES
for retail and presentation



D DOWN LIGHT SERIES D



DOWN LIGHT SERIES

ASDA085005 ASDA100007 ASDA125010 ASDA160015 ASDA205020


ASDB080006 ASDB100012 ASDB125015 ASDB155018 ASDB175024 ASDB200036



Application:
hotels, office, conference room, museums, restaurants, etc.


Option:
White

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ASDA085005	295lm	5W	220-240V	110°	3000K-6000K	Φ 98X50mm	Φ 85
ASDA100007	515lm	7W	220-240V	110°	3000K-6000K	Φ 120X55mm	Φ 100
ASDA125010	650lm	10W	220-240V	110°	3000K-6000K	Φ 145X60mm	Φ 125
ASDA160015	1250lm	15W	220-240V	110°	3000K-6000K	Φ 180X68mm	Φ 160
ASDA205020	1800lm	20W	220-240V	110°	3000K-6000K	Φ 220X90mm	Φ 205




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ASDB080006	510lm	6W	220-240V	90°	3000K-6000K	Φ 90X40mm	Φ 80
ASDB100012	1020lm	12W	220-240V	90°	3000K-6000K	Φ 110X48mm	Φ 100
ASDB125015	1275lm	15W	220-240V	90°	3000K-6000K	Φ 140X53mm	Φ 125
ASDB155018	1530lm	18W	220-240V	90°	3000K-6000K	Φ 170X53mm	Φ 155
ASDB175024	2040lm	24W	220-240V	90°	3000K-6000K	Φ 190X53mm	Φ 175
ASDB200036	3060lm	36W	220-240V	90°	3000K-6000K	Φ 215X53mm	Φ 200




DOWN LIGHT SERIES

ASDC080006 ASDC110012 ASDC145018 ASDC175024 ASDC200036




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
ASDC080006	510lm	6W	220-240V	90°	3000K-6000K	90X90X40X90mm	Φ 80X80
ASDC110012	1020lm	12W	220-240V	90°	3000K-6000K	125X125X48X110mm	Φ 110X110
ASDC145018	1530lm	18W	220-240V	90°	3000K-6000K	160X160X53X170mm	Φ 145X145
ASDC175024	2040lm	24W	220-240V	90°	3000K-6000K	190X190X53X190mm	Φ 175X175
ASDC200036	3060lm	36W	220-240V	90°	3000K-6000K	215X215X53X215mm	Φ 200X200





ADA150015 ADA170020 ADA200030




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White




ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADA150015	1300lm	15W	220-240V	80°	3000K-6000K	Φ 168X58mm	Φ 150
ADA170020	1700lm	20W	220-240V	80°	3000K-6000K	Φ 195X58mm	Φ 170
ADA200030	2550lm	30W	220-240V	80°	3000K-6000K	Φ 225X58mm	Φ 200



DOWN LIGHT SERIES




ADB120018 ADB150025 ADB160030 ADB210040



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADB120018	1450lm	18W	220-240V	60°	3000K-6000K	Φ 140X62mm	Φ 120
ADB150025	2000lm	25W	220-240V	60°	3000K-6000K	Φ 180X68mm	Φ 150
ADB160030	2550lm	30W	220-240V	60°	3000K-6000K	Φ 195X78mm	Φ 160
ADB210040	3750lm	40W	220-240V	60°	3000K-6000K	Φ 240X108mm	Φ 210




DOWN LIGHT SERIES

ADC105015 ADC145025 ADC210040




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADC105015	1300lm	15W	220-240V	80°	3000K-6000K	Φ 120X62mm	Φ 105
ADC145025	2150lm	25W	220-240V	80°	3000K-6000K	Φ 165X70mm	Φ 145
ADC210040	2550lm	40W	220-240V	80°	3000K-6000K	Φ 225X100mm	Φ 210




ADD110015 ADD135020 ADD170030 ADD200045




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADD110015	1200lm	15W	220-240V	60°	3000K-6000K	Φ 130X65mm	Φ 110
ADD135020	1600lm	20W	220-240V	60°	3000K-6000K	Φ 160X75mm	Φ 135
ADD170030	2400lm	30W	220-240V	60°	3000K-6000K	Φ 195X85mm	Φ 170
ADD200045	3600lm	45W	220-240V	60°	3000K-6000K	Φ 230X100mm	Φ 200




DOWN LIGHT SERIES

ADE045005 ADE070010 ADE085015 ADE115025




Application: hotels, office, conference room, museums, restaurants, etc.

Option: White/Black/Gold/Cooper



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADE045005	220lm	5W	220-240V	38°	3000K-6000K	Φ55X100mm	Φ45
ADE070010	800lm	10W	220-240V	38°	3000K-6000K	Φ75X105mm	Φ70
ADE085015	1200lm	15W	220-240V	38°	3000K-6000K	Φ92X110mm	Φ85
ADE115025	2000lm	25W	220-240V	38°	3000K-6000K	Φ128X130mm	Φ115




ADF080005 ADF095012 ADF120018 ADF145030




Application: hotels, office, conference room, museums, restaurants, etc.

Option: White




ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADF080005	400lm	5W	220-240V	20°	3000K-6000K	Φ90X54mm	Φ80
ADF095012	960lm	12W	220-240V	20°	3000K-6000K	Φ110X76mm	Φ95
ADF120018	1440lm	18W	220-240V	20°	3000K-6000K	Φ133X90mm	Φ120
ADF145030	2500lm	30W	220-240V	20°	3000K-6000K	Φ160X100mm	Φ145



DOWN LIGHT SERIES




ADG095015 ADG125020 ADG145030 ADG165030



Application:
hotels, office, conference room, museums, restaurants, etc.


Option:
White

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADG095015	1050lm	15W	220-240V	10°/15°/24°/38°	3000K-6000K	Φ 110X138mm	Φ 95
ADG125020	1400lm	20W	220-240V	10°/15°/24°/38°	3000K-6000K	Φ 138X155mm	Φ 125
ADG145030	2100lm	30W	220-240V	10°/15°/24°/38°	3000K-6000K	Φ 160X180mm	Φ 145
ADG165030	2800lm	35W	220-240V	10°/15°/24°/38°	3000K-6000K	Φ 180X200mm	Φ 165




DOWN LIGHT SERIES

ADH090010 ADH110020 ADH140030 ADH170035




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADH090010	800lm	10W	220-240V	20°	3000K-6000K	Φ105X90mm	Φ 90
ADH110020	1600lm	20W	220-240V	20°	3000K-6000K	Φ135X110mm	Φ 110
ADH140030	2400lm	30W	220-240V	25°	3000K-6000K	Φ165X125mm	Φ 140
ADH170035	2900lm	35W	220-240V	25°	3000K-6000K	Φ195X125mm	Φ 170




ADI105023 ADI120028 ADI150038




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White




ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
ADI105023	1950lm	23W	220-240V	15°/22°/35°	3000K-6000K	Φ117X120mm	Φ 105
ADI120028	2400lm	28W	220-240V	15°/22°/35°	3000K-6000K	Φ133X125mm	Φ 120
ADI150038	3250lm	38W	220-240V	15°/22°/35°	3000K-6000K	Φ162X132mm	Φ 150



DOWN LIGHT SERIES


ADJ115015 ADJ125020 ADJ155030 ADJ175040 ADJ175050




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
White

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (Φ MM)
ADJ115015	1250lm	15W	220-240V	15°/24°/36°	3000K-6000K	Φ 129X105mm	Φ 115
ADJ125020	1400lm	20W	220-240V	15°/24°/36°/60°	3000K-6000K	Φ 135X115mm	Φ 120
ADJ155030	2500lm	30W	220-240V	15°/24°/36°	3000K-6000K	Φ 165X135mm	Φ 150
ADJ175040	3300lm	40W	220-240V	15°/24°/36°	3000K-6000K	Φ 190X150mm	Φ 175
ADJ175050	4500lm	50W	220-240V	24°/60°	3000K-6000K	Φ 190X152mm	Φ 175




ASA110013 ASA130025 ASA190035 ASA190045



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH
ASA110013	1050lm	13W	220-240V	40°	3000K-6000K	Φ 110X120mm
ASA130025	2100lm	25W	220-240V	40°	3000K-6000K	Φ 130X155mm
ASA190035	2975lm	35W	220-240V	60°	3000K-6000K	Φ 170X185mm
ASA190045	3850lm	45W	220-240V	60°	3000K-6000K	Φ 195X195mm




DOWN LIGHT SERIES

ARA130013 ARA225026





Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARA130013	1040lm	13W	220-240V	15°/24°/36°	3000K-6000K	140X140X105mm	130X130mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARA225026	2080lm	2X13W	220-240V	15°/24°/36°	3000K-6000K	240X140X105mm	225X130mm




ARA320039




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARA320039	3120lm	3X13W	220-240V	15°/24°/36°	3000K-6000K	340X140X105mm	320X130mm




DOWN LIGHT SERIES

ARB130025 ARB280050




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARB130025	2000lm	25W	220-240V	15°/24°/36°	3000K-6000K	148X148X130mm	130X130mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARB280050	4000lm	2X25W	220-240V	15°/24°/36°	3000K-6000K	298X148X130mm	280X130mm




ARB410075




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARB410075	6000lm	3X25W	220-240V	15°/24°/36°	3000K-6000K	428X148X120mm	410X130mm




ARC170035 ARC320070




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARC170035	2880lm	35W	220-240V	15°/24°/36°/60°	3000K-6000K	196X196X155mm	170X170mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARC320070	5600lm	2X35W	220-240V	15°/24°/36°/60°	3000K-6000K	340X196X155mm	320X170mm




ARC470105



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	Cut Whole (MM)
ARC470105	8400lm	3X35W	220-240V	15°/24°/36°/60°	3000K-6000K	484X196X155mm	470X170mm

