

TECHNICAL LED
LUMINAIRES

for retail and presentation

OTHER SERIES




AOA043005 AOA053005-1



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (ΦMM)
AOA043005	380lm	5W	220-240V	40°	3000K-6000K	Φ50x45mm	Φ43mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOA053005-1	380lm	5W	220-240V	40°	3000K-6000K	60x60x45mm	Φ53mm




AOA104010




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOA104010	760lm	10W	220-240V	40°	3000K-6000K	112X60X45mm	104X53mm





AOA156015



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver





ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (Φ MM)
AOA156015	1140lm	15W	220-240V	40°	3000K-6000K	165x60x45mm	156X53mm

AOA207020



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver




ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (Φ MM)
AOA207020	1520lm	20W	220-240V	40°	3000K-6000K	215X60X45mm	207X53mm

AOA104020




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (Φ MM)
AOA104020	1520lm	20W	220-240V	40°	3000K-6000K	112x112x45mm	104X104mm




AOB037002

AOB068004





Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB037002	100lm	2W	220-240V	15/30/58°	3000K-6000K	45X45X49mm	37X37mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB068004	220lm	4W	220-240V	15/30/58°	3000K-6000K	75X45X49mm	68X37mm



**OTHER LIGHT
SERIES**




AOB140010




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB140010	350lm	10W	220-240V	15/30/58°	3000K-6000K	147X45X49mm	140X37mm




AOB273020 AOB405030




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB273020	700lm	20W	220-240V	15/30/58°	3000K-6000K	280X45X49mm	273X37mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB405030	1450lm	30W	220-240V	15/30/58°	3000K-6000K	415X45X49mm	405X37mm



OTHER LIGHT SERIES


AOB090020

AOB145040





Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB090020	1150m	2WX10	220-240V	15/30/45°	3000K-6000K	312X106X96mm	295X90mm

ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB145040	2150m	2WX10X2	220-240V	15/30/45°	3000K-6000K	312X159X96mm	295X145mm





OTHER LIGHT SERIES




AOB090030 AOB145060





Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB090030	1550lm	2WX10	220-240V	15/30/45°	3000K-6000K	444X105X96mm	425X90mm
ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH	CUT WHOLE (ΦMM)
AOB145060	3050lm	2WX15X2	220-240V	15/30/45°	3000K-6000K	444X159X96mm	425X145mm




AOC090009




Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver Accessory : Cover The Light Output



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH
AOC090009	720lm	9/5W	100-277V	160°	3000/4000/6000/R/G/B	90X72X87mm




AOC103009



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver Accessory : Cover The Light Output




ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) AXBXH
AOC103009	550lm	9/5W	100-277V	360°	3000/4000/6000/R/G/B/RGB/RGBW	103X75X154mm

AOC095009



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White/Silver Accessory : Cover The Light Output



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH	CUT WHOLE (Φ MM)
AOC095009	550lm	9/5W	100-277V	360°	3000/4000/6000/R/G/B/RGB/RGBW	φ 94X141mm	φ 95mm

OTHER LIGHT SERIES




AHA260060 AHA260100 AHA300150



Application:
hotels, office, conference room, museums, restaurants, etc.

Option:
Black/White



ITEM NO	Lumen output (Lm)	Led Power (w)	Voltage (V)	Angle (°)	CCT (K)	SIZE(MM) CXH
AHA260060	8400lm	60W	90-305V	60°/90°/120°	3000K-6000K	Φ 260X118mm
AHA260100	14000lm	100W	90-305V	60°/90°/120°	3000K-6000K	Φ 260X172mm
AHA300150	21000lm	150W	220-240V	60°/90°/120°	3000K-6000K	Φ 260X190mm

Flux out: 6477 1m

1m	7443,2812lx	332,69cm
2m	1861,7030lx	665,38cm
3m	827,3124lx	998,07cm
4m	4652,1767lx	1330,77cm
5m	2977,1125lx	1663,46cm
6m	2068,7811lx	1996,16cm
7m	1619,5738lx	2328,86cm
8m	1168,4395lx	2661,56cm
9m	9189,3471lx	2994,26cm
10m	7443,2812lx	3326,96cm

Flux out: 11432 1m

1m	1215,4672lx	333,07cm
2m	303,21218lx	666,17cm
3m	134,85413lx	999,26cm
4m	7681,3045lx	1332,35cm
5m	4852,1949lx	1665,44cm
6m	3369,1365lx	1998,53cm
7m	2476,9942lx	2331,63cm
8m	1895,7612lx	2664,72cm
9m	1497,6014lx	2997,82cm
10m	1215,4672lx	3330,91cm

Flux out: 16793 1m

1m	1980,7514lx	331,46cm
2m	485,1828lx	662,92cm
3m	214,48127lx	994,38cm
4m	1206,4571lx	1325,84cm
5m	7720,2926lx	1657,30cm
6m	5361,2032lx	1988,76cm
7m	3939,1493lx	2320,22cm
8m	3015,1143lx	2651,68cm
9m	2385,9030lx	2983,14cm
10m	1930,7314lx	3314,60cm